

LUMUX

BOLLARD

BL1000

The Lumux Bollard ("BL") series is a family of precision engineered, architectural LED bollards offered in a wide variety of form factors. Intended to illuminate a variety of outdoor spaces, whether public or private, the Lumux Bollard line offers multiple light distributions, including 360-degree shielded or unshielded, symmetric, and downward facing light. The body is constructed from heavy-duty die-cast aluminum or grade 316 stainless-steel, seamlessly integrated with its light source in a sleek, symmetrical design with no visible hardware. The Lumux Bollard combines form and function, offering architectural grade design while utilizing the highest quality of materials and components, providing long-lasting stability and durability that meets the most rigorous standards.

Housing: Heavy-duty construction of one-piece corrosion resistant, low-copper extruded aluminum. All fasteners are vandal resistant, stainless-steel screws.

Lens: Sealed one-piece, shatter proof, UV-rated frosty glass

Mounting: Secures with galvanized anchor bolts

Installation: Anchor bolts are provided or can specify spike installation (please refer to diagram)

Finish: Zinc polyester powder coat finish in black, white, silver, bronze, or any custom RAL color. Consult factory for marine grade or anti-microbial finish.

Driver: 12 Volt DC

Gasket: Closed cell silicon foam gasket that seals out moisture, dust, and insects for weather tight operation.

Protection Class: IP65, ETL Listed for wet locations

Wattage: 3W

Color Temperature: 2700K / 3000K / 3500K / 4000K

Delivered Lumens:	2700K	3000K	3500K	4000K
	55Lm	62Lm	72Lm	82Lm

CRI: 90

Warranty: 5 year limited warranty

DATE:

PROJECT:


FIRM:

CATALOG NO.:

COMMENTS:



Dimensions



LUMUX

BOLLARD

BL1000

DATE:

PROJECT:

FIRM:

CATALOG NO.:

COMMENTS:

Ordering Guide:


Catalog No.	LED Color	Color Temp ¹	Voltage	Finish
BL1000	White	2700K	12VDC	Black
		3000K		White
		3500K		Silver
		4000K		Bronze
				Custom RAL ²

¹Consult factory for additional options


²Consult factory for additional pricing

Catalog No.: _____

Photometrics



Spike Installation:



LUMUX LIGHTING

7803 Industry Ave, Pico Rivera, CA 90660

sales@lumux.com | 562-801-5100

Content of specification sheet subject to change